



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/591,951	09/08/2006	Jun Cheng	L9289.06192	6878
53989 7590 08/28/2008 DICKINSON WRIGHT PLLC 1901 L STREET NW SUITE 800 WASHINGTON, DC 20036			EXAMINER DONADO, FRANK E	
			ART UNIT 2617	PAPER NUMBER
			MAIL DATE 08/28/2008	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/591,951

Applicant(s)

CHENG ET AL.

Examiner

FRANK DONADO

Art Unit

2617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 September 2006.
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 1-6 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☒ The drawing(s) filed on 08 September 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3) ☒ Information Disclosure Statement(s) (PTO-8508)
Paper No(s)/Mail Date 09/08/06
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-6 are rejected under 35 U.S.C. 102(b) as being anticipated by Li, et al (**US PG Publication 20020119781**). From now on, Li, et al, will be referred to as Li.

Regarding claim 1, Li teaches a scheduling method for scheduling subcarriers in an uplink multicarrier signal which a base station apparatus allows a plurality of radio communication terminal apparatuses to use, the method comprising: a measurement step of measuring, per subcarrier, reception quality of an uplink multicarrier signal or a downlink multicarrier signal each radio communication terminal apparatus transmits or receives (**A scheduler, 1301 in Fig. 13, schedules for Signal-Plus-Interference-to-Noise-Ratio (SINR) measurements of all sub-carriers and their corresponding uplink and downlink signals for transmissions between base stations and radio communication terminals, where the term “cluster” indicates the existence of subcarriers and the use of a cellular system indicates communication from/to radio terminals, Paragraph 81, lines 1-12 and Paragraph 36, lines 1-4 and Paragraph 37, lines 1-5**); a calculation step of calculating average reception quality of each radio communication terminal apparatus (**Paragraph 41, lines 1-5**); a selection step of selecting the radio communication terminal apparatuses in ascending order of calculated average reception quality (**The SINR of each subcarrier may be ordered in any order desired for a downlink cluster allocation, through arbitrary cluster feedback according to priority**

desired, Paragraph 78, lines 10-14); and an assignment step of assigning a subcarrier in the uplink multicarrier signal to the selected radio communication terminal apparatus in descending order of reception quality measured in the measurement step **(Paragraph 54, lines 1-3).**

Regarding claim 2, Li teaches the scheduling method according to claim 1, further comprising a determination step of determining a modulation scheme having the highest transmission rate and applicable to the subcarriers in the uplink multicarrier signal for each radio communication terminal apparatus based on the measurement result of reception quality in the measurement step **(Paragraph 26, lines 1-5)**, wherein, in the assignment step, the subcarrier in the uplink multicarrier signal is assigned, in descending order of reception quality measured in the measurement step, to the radio communication terminal apparatuses selected in the selection step in accordance with transmission rate corresponding to the modulation scheme determined in the determination step until predetermined transmission rate scheduled for the radio transmission terminal apparatus is satisfied **(Paragraph 78, lines 10-17).**

Regarding claim 3, Li teaches a base station apparatus for performing radio communication with a plurality of radio communication terminal apparatuses **(Paragraph 7, lines 4-9)**, the base station apparatus comprising: a reception section that receives an uplink multicarrier signal transmitted by each of the plurality of radio communication terminal apparatuses **(Paragraph 7, lines 4-9)**; a measuring section that measures reception quality of the received uplink multicarrier signal per subcarrier **(Paragraph 27,**

lines 7-10); a scheduler that calculates average reception quality of the uplink multicarrier signal transmitted by each radio communication terminal apparatus (**Paragraph 41, lines 1-5**), selects the radio communication terminal apparatuses in ascending order of average reception quality (**A scheduler, 1301 in Fig. 13, calculates SINR data on both the uplink and the downlink, and an SINR averaging takes place on uplink multicarrier signal in a subcarrier selection process, where the values may be ordered from smallest to largest, if desired, Paragraph 81, lines 1-5, Paragraph 61, lines 1-2, Paragraph 63 and Paragraph 41, lines 1-5**), and assigns a subcarrier in the uplink multicarrier signal to the selected radio communication terminal apparatus in descending order of reception quality measured in the measuring section (**Paragraph 54, lines 1-3**); and a transmission section that transmits a downlink multicarrier signal formed with the subcarriers assigned by the scheduler (**Paragraph 24, lines 1-6**).

Regarding claim 4, Li teaches the base station apparatus according to claim 3, wherein the scheduler comprises a determination section that determines a modulation scheme having the highest transmission rate and applicable to the subcarriers in the uplink multicarrier signal for each radio communication terminal apparatus based on the measurement result of reception quality of the uplink multicarrier signal per subcarrier by the measuring section (**Paragraph 26, lines 1-5**), calculates average reception quality of the uplink multicarrier signal each radio communication terminal apparatus transmits (**Paragraph 41, lines 1-5**), selects the radio communication terminal apparatus in ascending order of calculated reception quality (**An SINR averaging takes place on uplink multicarrier signal in a subcarrier selection process, where the values may be**

ordered from smallest to largest, if desired, Paragraph 61, lines 1-2, Paragraph 63 and Paragraph 41, lines 1-5), and assigns the subcarrier in the uplink multicarrier signal to the selected radio communication terminal apparatus in descending order of reception quality measured in the measuring section **(Paragraph 54, lines 1-3).**

Regarding claim 5, Li teaches a base station apparatus for performing radio communication with a plurality of radio communication terminal apparatuses **(Paragraph 7, lines 4-9)**, the base station apparatus comprising: a reception section that receives an uplink multicarrier signal containing control information whose content includes reception quality of a downlink multicarrier signal per subcarrier measured by each of the plurality of radio communication terminal apparatuses **(Paragraph 81, lines 1-5)**; a scheduler that calculates average reception quality of the downlink multicarrier signal transmitted by each radio communication terminal apparatus, selects the radio communication terminal apparatuses in ascending order of average reception quality **(The SINR of each subcarrier may be ordered in any order desired for a downlink cluster allocation, through arbitrary cluster feedback according to priority desired, Paragraph 78, lines 10-14)**, and assigns a subcarrier in the uplink multicarrier signal to the selected radio communication terminal apparatus in descending order of reception quality measured in the measuring section **(Paragraph 54, lines 1-3)**; and a transmission section that transmits a downlink multicarrier signal formed with the subcarriers assigned by the scheduler **(Paragraph 24, lines 1-6).**

Regarding claim 6, Li teaches the base station apparatus according to claim 5,

wherein: the scheduler comprises a determination section that determines a modulation scheme having the highest transmission rate and applicable to the subcarriers in the uplink multicarrier signal for each radio communication terminal apparatus based on the control information (**Paragraph 26, lines 1-5**); and the scheduler calculates average reception quality of the downlink multicarrier signal each radio communication terminal apparatus receives (**A scheduler, 1301 in Fig. 13, calculates average SINR of the downlink, Paragraph 81, lines 1-12 and Paragraph 78, lines 10-11**), selects the radio communication terminal apparatus in ascending order of calculated reception quality (**The SINR of each subcarrier may be ordered in any order desired for a downlink cluster allocation, through arbitrary cluster feedback according to priority desired, Paragraph 78, lines 10-14**), and assigns the subcarrier in the uplink multicarrier signal to the selected radio communication terminal apparatus in descending order of reception quality measured in the measuring section in accordance with transmission rate corresponding to the modulation scheme determined in the determination section until predetermined transmission rate scheduled for the radio transmission terminal apparatus is satisfied (**A threshold may be selected as part of the process, where the assignment of the subcarrier in the uplink is made to the subscribers in descending order of average SINR, where the transmission rate corresponds to modulation rate until desired threshold is met, Paragraph 26, lines 1-8 and Paragraph 54, lines 1-3**).

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US PG Publication 2003/0125040 refers to a multiple-access multiple-input multiple-output (MIMO) communication system.

US Patent No. 6,516,192 refers to a communications channel selection system.

US Patent No. 7,020,110 refers to a resource allocation for mimo-ofdm communication system.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to FRANK DONADO whose telephone number is (571) 270-5361. The examiner can normally be reached on Monday-Thursday, 8 am-5 pm and at the same time on alternate Fridays, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rafael Perez-Gutierrez can be reached on 571-272-7915. The fax phone number for the organization where this application or proceeding is assigned is 571-270-6361.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service

Application/Control Number: 10/591951

Art Unit: 2617

Representative or access to the automated information system, call 800-786-9199 (IN USA
OR CANADA) or 571-272-1000.

Frank Donado

Art Unit 2617

/Rafael Pérez-Gutiérrez/

Supervisory Patent Examiner, Art Unit 2617